10/500896 DT04 Rec'd PCT/PTO 0 7 JUL 2004

APPLICANT(S): ROTH, Shmuel et al. Not yet assigned

SERIAL NO.: FILED:

Herewith

Page 3

AMENDMENTS TO THE CLAIMS

Please add or amend the claims to read as follows, and cancel without prejudice or

disclaimer to resubmission in a divisional or continuation application claims indicated as

cancelled:

(Original) A display for reproducing an image intended for printing on a substrate 1.

using a set of inks, the image having a perceived color gamut when printed on said substrate,

the display comprising:

a light source generating a set of at least three primary colors; and

a controller combining the set of at least three primary colors to substantially

reproduce said image,

wherein said at least three primary colors define a viewed color gamut which

substantially covers said perceived color gamut.

(Original) The display of claim 1 comprising a correction filter, the spectrum of the 2.

correction filter being based on the spectrum reflected from a type of said substrate.

(Original) The display of claim 1 comprising a correction filter, the spectrum of the 3.

correction filter being based on the spectrum of an intended light used to view the image

when printed.

(Original) The display of claim 1 wherein the light source includes at least a plurality 4.

of LEDs.

BEST AVAILABLE COPY

APPLICANT(S): ROTH, Shmuel et al.

SERIAL NO.:

Not yet assigned

FILED:

Herewith

Page 4

(Original) The display of claim 1, wherein the light source includes at least a color

wheel.

(Currently amended) The display of claim 1, wherein the light source is able to 6.

produces at least four primary colors.

(Original) The display of claim 1, wherein the light source produces three primary 7.

colors, the transmission spectra of which define said viewed color gamut.

(Original) The display of claim 1 comprising a spatial light modulator. 8.

(Original) The display of claim 1 comprising a digital micro-mirror device. 9.

(Currently amended) A method for reproducing an image intended for printing on a 10.

substrate using a set of inks, the image having a perceived color gamut when printed on said

substrate, the method comprising:

accepting data corresponding to said image;

converting said data into data corresponding to a set of at least three primary colors;

selectively producing light of said at least three primary colors; and

combining the <u>light of</u> at least three primary colors to substantially reproduce said

image,

wherein said at least three primary colors define a viewed color gamut which

substantially covers said perceived color gamut.

BEST AVAILABLE COPY

APPLICANT(S): ROTH, Shmuel et al.

SERIAL NO.:

Not yet assigned

Herewith

FILED: Page 5

(Original) The method of claim 10 wherein converting said data comprises converting 11.

the data using a conversion matrix.

(Original) The method of claim 10 comprising passing light through a correction 12.

filter, the spectrum of the correction filter being based on the spectrum reflected from a type

of said substrate.

(Original) The method of claim 10 comprising passing light through a correction 13.

filter, the spectrum of the correction filter being based on the spectrum of an intended light

source used to view said image when printed on said substrate.

14. (Original) The method of claim 10 comprising passing light through a color wheel.

15. (Currently amended) The method of claim 10, wherein said at least three primary

colors include a red primary color, a green primary color and a blue primary color, the

transmission spectra of which define said viewed color gamut.

16. (Original) The method of claim 10 comprising spatially modulating the light of said at

least three primary colors.

BEST AVAILABLE COPY